

NOT FOR PUBLICATION

**UNITED STATES DISTRICT COURT
FOR THE DISTRICT OF NEW JERSEY**

A. & M. WHOLESALE HARDWARE CO.,
INC., D/B/A A&M INDUSTRIAL, A NEW
JERSEY CORPORATION,

Plaintiff,

v.

CIRCOR INSTRUMENTATION
TECHNOLOGIES, INC., D/B/A HOKE,
DEL VAL CONTROLS, INC., STEPHEN
GREEN, ROBERT TAYLOR, RICHARD
NOHA, AND MICHAEL TERRELL,

Defendants.

Civil Action No. 13-0475 (SDW) (MCA)

ORDER

February 24, 2014

WIGENTON, District Judge.

Before this Court are two Motions to Dismiss the Amended Complaint filed by Plaintiff A. & M. Wholesale Hardware Co., Inc., d/b/a A&M Industrial, a New Jersey Corporation (“A&M”), pursuant to Federal Rule of Civil Procedure 12(b)(6). One motion was filed by Defendants Circor Instrumentation Technologies, Inc., d/b/a Hoke; Robert Taylor; Richard Noha; and Michael Terrell (collectively, the “Hoke Defendants”). The other motion was filed by Del Val Controls, Inc. and Stephen Green (collectively, the “Del Val Defendants”). For the reasons stated in this Court’s Opinion dated February 24, 2014, it is hereby

ORDERED that the Hoke Defendants’ Motion to Dismiss is **DENIED**; and it is further

ORDERED that the Del Val Defendants’ Motion to Dismiss is **DENIED**.

s/ Susan D. Wigenton
Susan D. Wigenton, U.S.D.J.

cc: Madeline Cox Arleo, U.S.M.J.
Parties